

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(sampl\$3 near6 ((incomming or input or received) near2 data)) same ((programmable or dynamic\$4) near3 delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:45
L2	6	(sampl\$3 near6 ((incomming or input or received) near2 data)) with ((programmable or dynamic\$4) near3 delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:38
L3	44	(sampl\$3 near6 ((incomming or input or received) near2 data)) same ((programmable or dynamic\$4) near6 delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:44
L4	6	(sampl\$3 near6 ((incomming or input or received) near2 data)) with ((programmable or dynamic\$4) near6 delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:53
L5	5880	(sampl\$3 near6 data) same (delay\$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:48
L6	4460	(sampl\$3 near6 data) with (delay\$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:44
L7	92	5 same (programmable adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:45
L8	47	6 with (programmable adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:45
L9	32	7 same ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:46

## EAST Search History

L10	6	8 with ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:36
L11	57	(delay\$3 near6 ((incomming or input or receiced) adj data)) same (programmable adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:27
L12	34	(delay\$3 near6 ((incomming or input or receiced) adj data)) with (programmable adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:22
L13	14	11 same sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:48
L14	7	12 with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:48
L15	11	11 same (sampl\$3 near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:54
L16	6	12 with (sampl\$3 near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:54
L17	13	"752651"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:08
L18	2	"4876670".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:13

## EAST Search History

L19	62	(US-20050102545-\$ or US-20050025190-\$ or US-20040161068-\$ or US-20040000940-\$ or US-20030226070-\$ or US-20030219090-\$ or US-20030084414-\$ or US-20020172090-\$ or US-20020122348-\$ or US-20020087922-\$ or US-20020085655-\$ or US-20020067785-\$ or US-20010017905-\$).did. or (US-7031420-\$ or US-7020795-\$ or US-6996201-\$ or US-6968025-\$ or US-6954870-\$ or US-6906555-\$ or US-6904537-\$ or US-6895062-\$ or US-6850580-\$ or US-6765975-\$ or US-6728162-\$ or US-6714612-\$ or US-6700944-\$ or US-6690201-\$ or US-6636978-\$ or US-6608875-\$ or US-6604203-\$ or US-6549596-\$ or US-6542999-\$ or US-6526106-\$ or US-6426985-\$ or US-6418537-\$ or US-6373881-\$ or US-6269137-\$ or US-6266799-\$ or US-6252441-\$). did. or (US-6239629-\$ or US-6216256-\$ or US-6178212-\$ or US-6122335-\$ or US-6108794-\$ or US-6044122-\$ or US-5905769-\$ or US-5831461-\$ or US-5757297-\$ or US-5742188-\$ or US-5692166-\$ or US-5608357-\$ or US-5532632-\$ or US-5487095-\$ or US-5467464-\$ or US-5278873-\$ or US-5081655-\$ or US-4980577-\$ or US-4876670-\$ or US-4821296-\$ or US-4756011-\$ or US-4611335-\$ or US-4012598-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/10/30 10:20
L20	4	19 and 11	US-PGPUB; USPAT	OR	OFF	2006/10/30 10:20
L21	3	19 and 12	US-PGPUB; USPAT	OR	OFF	2006/10/30 10:20
L22	21	19 and (delay\$3 near6 ((incomming or input or receiced) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:54
L23	4	22 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:22

## EAST Search History

L24	9	19 and ((delay\$3 near6 ((incomming or input or receiced) adj data)) same phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:36
L25	5	19 and ((delay\$3 near6 ((incomming or input or receiced) adj data)) with phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:28
L26	1	24 and latenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:28
L27	191	((((incomming or input or received) near2 data) near6 latenc\$3) same (measur\$3 or determin\$5 or check\$3 or calculat\$4 or estimat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:40
L28	96	((((incomming or input or received) near2 data) near6 latenc\$3) with (measur\$3 or determin\$5 or check\$3 or calculat\$4 or estimat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:40
L29	211	((((incomming or input or received) near2 data) near6 latenc\$3) same (measur\$3 or determin\$5 or check\$3 or calculat\$4 or estimat\$4 or actual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:41
L30	98	((((incomming or input or received) near2 data) near6 latenc\$3) with (measur\$3 or determin\$5 or check\$3 or calculat\$4 or estimat\$4 or actual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:41
L31	0	29 same (compar\$4 near6 ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:44
L32	5	29 and (compar\$4 near6 ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:44
L33	1	30 and (compar\$4 near6 ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:45

## EAST Search History

L34	10	30 same ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:46
L35	29	29 same ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:53
L36	9	30 with ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:46
L37	2	19 and ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:53
L38	3	(delay\$3 near6 ((incomming or input or receiced) adj data)) same ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:55
L39	1	(delay\$3 near6 ((incomming or input or receiced) adj data)) with ((predetermined or programmed or fixed or determined or set or preset) near3 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:55
L40	23	("3912917"   "4641259"   "4779225"   "4791390"   "4843583"   "4947363"   "5014232"   "5142552"   "5247470"   "5260896"   "5282155"   "5301135"   "5303173"   "5381357"   "5420884"   "5528627"   "5568411"   "5657349"   "5734598"   "5781063"   "5894495"   "6009448"   "6209014").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:00
L41	2	40 and latenc\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:02
L42	0	("6745218").URPN.	USPAT	OR	OFF	2006/10/30 11:02
L43	11	("4873491"   "5272730"   "5550829"   "5568437"   "5600682"   "5917760"   "6031788"   "6088774"   "6226757"   "6236343"   "6442644").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:02

## EAST Search History

L44	6	43 and latenc\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:02
L45	0	("6636978").URPN.	USPAT	OR	OFF	2006/10/30 11:04
L46	4	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency) same (delay\$3 near6 ((incomming or input or receiced) adj data))	USPAT	OR	OFF	2006/10/30 11:08
L47	0	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency) with (delay\$3 near6 ((incomming or input or receiced) adj data))	USPAT	OR	OFF	2006/10/30 11:07
L48	180	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency) same ((incomming or input or receiced) near2 data)	USPAT	OR	OFF	2006/10/30 11:08
L49	51	((adjust\$5 or align\$5 or chang\$3 or modif\$8 or increas\$3 or decreas\$3 or alter\$6 or var\$8 or correct\$4) near6 latency) with ((incomming or input or receiced) near2 data)	USPAT	OR	OFF	2006/10/30 11:08
L50	15	48 same (delay\$3 near6 data)	USPAT	OR	OFF	2006/10/30 11:09
L51	5	49 with (delay\$3 near6 data)	USPAT	OR	OFF	2006/10/30 11:13
L52	4	("20010055357"   "5272729"   "6366529"   "6711227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:16
L53	15	"860518"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:16